

Literature Cited and References

Zedler, P. H. 1987. The ecology of southern California vernal pools; a community profile. U.S. Fish and Wildlife Service Biological Report 85 (7.11). pp 1-10.

Zedler, P.H. and C.A. Zammit.1989.A Population Based Critique of Concepts of Change in the Chaparral. In The California Chaparral: Paradigms Reexamined. S.C. Keeley (ed.). Natural History Museum of Los Angeles County, Los Angeles, Science Series No. 34. 73-78.

Zemba, R. and K. J. Kramer. 1984. *Crossosoma* **10**:1-8.

Zemba, R and K. J. Kramer. 1985. The status of the Santa Ana River woolly-star. *Fremontia* **13**:19-20.

8) Reptiles

Aldridge, R. D. 1979. Female reproductive cycles of the snakes *Arizona elegans* and *Crotalus viridis*. *Herpetological* **35**:259-261.

Asplund, K. K. 1974. Body size and habitat utilization in whiptail Lizards (*Cnemidophorus*). *Copeia*. No. 3, pp 695-702.

Bezy, R. L. 1972. Karyotypic variation and evolution of the lizards in the family Xantusiidae. *Contributions in Science*. No. 227, pp 1-29.

Bezy, R. L. 1988. The Natural History of the Night Lizards, Family Xantusiidae. *Proceedings of the Conference on California Herpetology*. pp 1-12.

Block, W. M. and M. L. Morrison. 1998. Habitat relationships of amphibians and reptiles in California oak woodlands. *Journal of Herpetology* **32**:51-60.

Bostic, D. L. May 1964. The Ecology and Behavior of *Cnemidophorus hyperythrus beldingi* Cope (Sauria: Teiidae).

Bostic, D. L. 1965. Home range of the teiid lizard, (*Cnemidophorus hyperythrus beldingi*). *The Southwestern Naturalist* **10**:278-281.

Bostic, D. L. 1966. Thermoregulation and hibernation of the lizard *Cnemidophorus Hyperythrus Beldingi* (Sauria: Teiidae). *The Southwestern Naturalist* **11**:275-278.



Literature Cited and References

- Bostic, D. L. 1966. Food and feeding behavior of the teiid lizard, *Cnemidophorus hyperythrus beldingi*. Herpetological **22**:177-235.
- Bowker, R. W. 1994. *Lampropeltis pyromelana* (Sonoran Mountain Kingsnake): Temperature, activity and size. Herpetological Review **25**:124-125.
- Bryant, H. C. 1911. The horned lizards of California and Nevada of the Genera Phrynosoma and Anota. University of California Publications in Zoology **9**:1-84.
- Bury, B. R. and T. G. Balgooyen. 1976. Temperature selectivity in the legless lizard (*Anniella pulchra*). Copeia No. 1, pp 152-155.
- Cameron, S. 1994. *Salvadora Hexalepis* (Western Patchnose Snake). Herpetological Review **25**:34-35.
- Chamberlain, E. B. Jr. April 1, 1981. Assistant Field Director, U.S. Fish and Wildlife Service. Letter to E. C. Fullerton, Director, California Department of Fish and Game regarding touring coast horned lizard habitat in San Diego County.
- Churchill, T. A. and K. B. Storey. 1992. Freezing survival of the garter snake (*Thamnophis sirtalis parietalis*). Canadian Journal of Zoology **70**:99-105.
- Copeia. 1986. Rate of death due to predation for two species of horned Lizard (*Phrynosoma cornutum*) and (*Phrynosoma modestum*). No. 3.
- Crews, D., M. Grassman and J. Lindzey. 1986. Behavioral facilitation of reproduction in sexual and unisexual whiptail lizards. Proceedings of the National Academy of Sciences **83**:9547-9550.
- Cunningham, J. D. 1959. Notes on *Anniella*. Herpetological **15**:19-20.
- de Queiroz, Kevin. December 15, 1981. Letter to Peter Sorensen of U.S. Fish and Wildlife Service regarding locations of *Phrynosoma coronatum* and *Cnemidophorus hyperythrus* near the Tijuana River Estuarine Sanctuary.
- Ferguson, G. W., K. L. Brown and V. G. DeMarco. 1982. Selective basis for the evolution of variable egg and hatchling size in some iguanid lizards. Herpetological **38**:178-188.



Literature Cited and References

- Findeis, E. K. and W. E. Bemis. 1990. Functional morphology of tongue projection in *Taricha torosa* (Urodela: Salamandridae). *Zoological Journal of the Linnean Society* **99**:129-157.
- Fitch, H. S. 1980. *Thamnophis sirtalis* (Linneaus) common garter snake. *Catalogue of American Amphibians and Reptiles* 270.1-270.4.
- Fitch, H. S. 1984. *Thamnophis couchii* (Kennicott) western aquatic garter snake. *Catalogue of American Amphibians and Reptiles*. pp.351.1-351.3.
- Fusari, M. H. 1984. Temperature responses of standard, aerobic metabolism by the California legless lizard (*Anniella pulchra*). *Comparative Biochemistry and Physiology* **77A**:97-101.
- Fusari, M. H. 1985. Drinking of soil water by the California legless lizard (*Anniella pulchra*). *Copeia* **4**:981-986.
- Gans, C., W. K. Morgan and E. S. Allen. 1992. Surface locomotion of the elongate and limbless lizard (*Anniella pulchra*) (anguidae). *Herpetological* **48**:246-262.
- Garmano, D. J. and C. R. Carter. 1995. *Gambelia Sila* (Blunt-nosed Leopard Lizard): Predation. *Herpetological Review* **26**:100.
- Garmano, D. J. and D. J. Morafka. 1996. Diurnal aboveground activity by the fossorial silvery legless lizard (*Anniella pulchra*). *Great Basin Naturalist* **56**: 26-27.
- Goldberg, S. R. 1983. Reproduction of the coast horned lizard (*Phrynosoma coronatum*), in southern California. *The Southwestern Naturalist* **28**:478-479.
- Goldberg, S. R. 1985. Reproduction of the silvery legless lizard (*Anniella pulchra pulchra*) (Anniellidae) in southern California. *The Southwestern Naturalist* **30**:617-619.
- Goldberg, S. R. 1995. Reproduction in the western patchnose snake (*Salvadora Hexalepis*) and the mountain patchnose snake (*Salvadora grahamiae*) (Columbridae), Germano, D. J. 1994. *Cambelia sila* (Bluntnose Leopard Lizard): Cannibalism. *Herpetological Review* **25**:26-27.
- Greenberg, C. H., D. G. Neary and L. D. Harris. 1994. Effect of high-intensity wildfire and silvicultural treatments on reptile communities in sand-pine scrub. *Conservation Biology*. **8**:1047-1057.



Literature Cited and References

- Grinnell, J. and H. W. Grinnell. 1907. Reptiles of Los Angeles County, California. Throop Institute Bulletin. No. 35, Science Series No. 1.
- Grismer, L. L. and M. A. Galvan. 1986. A new night lizard (*Xantusia henshawi*) from a sandstone habitat in San Diego County, California. Transactions of the San Diego Society of Natural History **21**:155-165.
- Grover, M. C. 1996. Microhabitat use and thermal ecology of two narrowly sympatric sceloporus (Phrynosomatidae) lizards. Journal of Herpetology **30**:152-160. From Arizona. The Southwestern Naturalist **40**:152-160.
- Hager, S. B. 1992. Surface activity, movement and home range of the San Diego horned lizard (*Phrynosoma coronatum blainvillii*).
- Hein, E. W. and S. J. Whitaker. 1997. Homing in eastern fence lizards (*Sceloporus undulatus*) following short-distance translocation. Great Basin Naturalist **57**:348-351.
- Hollycross, A. T. 1995. *Coronella girondica* (Southern smooth snake) prey size. Herpetological Review. **26**:100-101.
- Howard, C. W. 1974. Comparative reproductive ecology of horned lizards (Genus *Phrynosoma*) in southwestern United States and northern Mexico. Journal of the Arizona Academy of Science **9**:108-116; 348-351.
- Hunt, L. E. 1983. A nomenclatural rearrangement of the genus *Anniella* (Sauria: Anniellidae). Copeia **1**:79-89.
- Jacobson, E. R. and W. G. Whitford. 1971. Physiological responses to temperature in the patch-nosed snake (*Salvador hexalepis*). Herpetological **27**:289-295.
- Jennings, M. R. 1987. Impact of the curio trade for San Diego horned lizards (*Phrynosoma coronatum blainvillii*) in the Los Angeles Basin, California: 1885-1930. Journal of Herpetology **21**:356-358.
- Jennings, M. R. 1988. *Phrynosoma coronatum* (Blainville) coast horned lizard. Catalogue of American Amphibians and Reptiles. pp 428.1-428.5.



Literature Cited and References

- Jennings, M. R. 1992. Comments on the proposed conservation of the specific name of *Anniella pulchra* gray, 1852 and designation of a neotype (Reptilia, Squamata). *Bulletin of Zoological Nomenclature* **49**:234-335.
- Joy, J. E. and D. Crews. 1987. Hibernation in garter snakes (*Thamnophis sirtalis parietalis*): seasonal cycles of cold tolerance. *Comparative Biochemistry and Physiology* **87A**:1097-1101.
- Karasov, W. H. and R. A. Anderson. 1984. Interhabitat differences in energy acquisition and expenditure in a lizard. *Ecology* **65**:235-247.
- Keogh, J. S. 1996. Evolution of the colubrid snake tribe Lampropeltini: A morphological perspective. *Herpetological* **52**:406-416.
- Klauber, L.M. 1932. Notes on the silvery footless lizard (*Anniella pulchra*). *Copeia* **1**:4-6.
- Klauber, L. M. 1943. The coral king snakes of the Pacific Coast. *Transactions of the San Diego Society of Natural History* **10**:75-82.
- Klauber, L. M. 1972. *Rattlesnakes, Their Habits, Life Histories, and Influence on Mankind*. Vol. 1. University of California Press. Berkely and Los Angeles.
- LaDuc, T. J. and D. I. Lannutti. 1996. *Lampropeltis getulasplendida* (Desert Kingsnake): Diet. *Herpetological Review* **27**:25.
- Lappin, A. K. 1997. Feeding ecomorphology of crotaphytid lizards: Using bite force performance to link morphology to behavior. *Journal of Morphology* **232**:284.
- Lee, J. C. 1974. The daily activity cycle of the lizard (*Xantusia henshawi*). *Copeia* **4**:934-940.
- Lee, J. C. 1975. The authecology of *Xantusia henshawi henshawi* (Sauria: Xantusiidae). *Transactions of the San Diego Society of Natural History* **17**:259-278.
- Lee, J. C. 1976. (*Xantusia henshawi Stejneger*) granite night lizard. *Catalogue of American Amphibians and Reptiles* pp 189.1-189.2.



Literature Cited and References

- Lehenbauer, P. A. June 16, 1981. Letter to E.C. Fullerton of California Department of Fish and Game regarding touring coast horned lizard habitat at Camp Pendleton.
- Leuck, B. E. 1982. Comparative burrow use and activity patters of parthenogenetic and bisexual whiptail lizards (*Cnemidophorus: Teiidae*). *Copeia* **2**:416-424.
- Mayhew, W. W. 1963. Biology of the granite spiny lizard (*Sceloporus orcutti*). *The American Midland Naturalist* **69**:310-327.
- McCoy, C. J. 1967. Natural history notes on *Crotaphytus wislizeni* (Reptilia: Iguanidae) in Colorado. *The American Midland Naturalist* **77**:138-146.
- McGuire, J. A. and L. L. Grismer. 1993. The taxonomy and biogeography of *Thamnophis hammondi* and *t. Digueti* (Reptilia: Squamata: Colubridae) in Baja California, Mexico. *Herpetological* **49**:354-365.
- McGurty, B. M. November 15, 1981. Status survey report on the San Diego coast horned lizard, (*Phrynosoma coronatum blainvillei*) occurring on Camp Pendleton U.S. Marine Corps Base, Miramar U.S. Naval Air Station , Fallbrook Annex U.S. Naval Weapons Station during the survey period August to November 1981.
- Miller, C. M. 1943. An intergradient population connecting *Anniella pulchra pulchra* and *Anniella pulchra nigra*. *Copeia* No. 1 pp. 2-6.
- Miller, C. M. 1944. Ecological relations and adaptations of the limbless lizards of the Genus *Anniella*. *Ecological Monographs* **14**:271-289.
- Milroy, L. G. III. October 9, 1991. Letter to John Hanlon of U.S. Fish and Wildlife Service documenting locations of the San Diego Coast Horned Lizard (*Phrynosoma coronatum blainvillei*) on September 27, 1991.
- Milroy, L. G. III. December 1994. Field Study Report on the San Diego Coast Horned Lizard, (*Phrynosoma coronatum blainvillei*), populations in the Landmark area of Naval Air Station Miramar.



Literature Cited and References

- Mink, D. G. and J. W. Sites Jr. 1996. Species limits, phylogenetic relationships, and origins of viviparity in the *Scalaris* complex of the lizard Genus *Sceloporus* (Phrynosomatidae: Sauria). *Herpetological* **52**:551-571.
- Montanucci, R. R. 1968. Notes on the distribution and ecology of some lizards in the San Joaquin Valley, California. *Herpetological* **24**:316-320.
- Montanucci, R. R. 1989. The relationship of morphology to diet in the horned lizard Genus *Phrynosoma*. *Herpetological* **5**:208-216.
- Mullen, D. A. 1989. *Anniella p. pulchra* (Silvery legless lizard). *Herpetological Review* **20**: 12.
- Munger, J. C. 1986. Rate of death due to predation for two species of horned lizard (*Phrynosoma cornutum* and *Phrynosoma comutum*). No. 3, pp 820-824.
- Newton, M. S. and R. Smith. 1975. The snake that lost its habitat. *Natural History* **84**(6):72-76.
- Norell, M. A. 1989. Late cenozoic lizards of the Anza Borrego Desert, California. *Contributions in Science* **414**:1-31.
- Perkins, M., S. C. Adolph, S. Granite and W. Hein. 1997. *Xantusia Vigilis* (Desert Night Lizard) and *sceloporus magister* (Desert Spiny Lizard): Predation and diet. *Herpetological Review* **28**:89
- Pianka, E. R. and W. R. Parker. 1975. Ecology of horned lizards: A review with special reference to *Phrysonoma platyrhinos*. *Copeia*. No. 1, pp 141-162.
- Pianka, E. R. 1986. *Ecology and Natural History of Desert Lizards: Analysis of the Ecological Niche and Community Structure*. Princeton University Press. Princeton, New Jersey.
- Pietruszka, R. D. 1985. Effects of species removal on habitat-use patterns of a North American desert lizard assemblage. *Suid-Afrikaanse Tydskrif vir Wetenskap* **81**:697.
- Pietruszka, R. D. 1986. Search tactics of desert lizards: how polarized are they? *Animal Behavior* **34**:1742-1758.
- Price, A. H. 1992. Comparative behavior in lizards of the Genus *Cnemidophorus* (Teiidae), with comments on the evolution of parthenogenesis in reptiles. *Copeia* **2**:323-331.



Literature Cited and References

- Rossman, D. A. 1979. Morphological evidence for taxonomic partitioning of the *Thamnophis elegans* complex (Serpentes, Columbridae). Occasional Papers of the Museum of Zoology No. 55, pp 1-12.
- Rossman, D. A. and G. R. Stewart. 1987. Taxonomic reevaluation of *Thamnophis couchii* (Serpentes: Columbridae). Occasional Papers of the Museum of Zoology No. 63, pp 1-25.
- Rossman, D. A., N. B. Ford and R. A. Seigel. 1996. The Garter Snakes: Evolution and Ecology. University of Oklahoma Press. Norman and London.
- Rowland, S. D. June 18, 1992. Activity, behavior, ecology and home range of the orange-throated whiptail, (*Cnemidophorus hyperythrus beldingi*) Copeia.
- Schmidt, P. J., W. C. Sherbrook and J. O. Schmidt. 1989. The detoxification of ant (Pogonomyrmex) venom by a blood factor in horned lizards (*Phrynosoma*). Copeia **3**:603-607.
- Schoenherr, A. A. 1976. The herpetog fauna of the San Gabriel Mountains: Los Angeles County, California. Southwestern Herpetologist's Society. Los Angeles.
- Smith, G. R. 1995. Home range size, overlap, and individual growth in the lizard (*Sceloporus virgatus*). Acta Ecologica **16**:413-421.
- Smith, G. R. 1996. Habitat use and fidelity in the striped plateau lizard (*Sceloporus virgatus*). American Midland Naturalist **135**:68-80.
- Stebbins, R.C. 1985. A Field Guide to Western Reptiles and Amphibians. Lungless salamanders: Family Plethodontidae.
- Stromberg, M. R. 1997. *Taricha torosa* (California newt) response to fire. Herpetological Review **28**:82-83.
- Tinkle, D. W. and A. E. Dunham. 1986. Comparative life histories of two syntopic sceloporine lizards. Copeia No. 1, pp 1-18.
- Vitt, L. J. and R. D. Ohmart. 1977. Ecology and reproduction of lower Colorado River lizards: *I. Callisaurus Draconoides* (Iguanidae). Herpetological **33**:214-222.



Literature Cited and References

Weinrub, J. D. 1980. (*Sceloporus orcutti Stejneger*) granite spiny lizard. Catalogue of American Amphibians and Reptiles. pp 265.1-265.2.

White, M. and J. A. Kolb. 1975. A preliminary study of *Thamnophis* near Sagehen Creek, California. Copeia No. 1, pp 126-136.

Zweifel, R. G. 1974. *Lampropeltis zonata* (Lockington ex Blainville) California mountain kingsnake. Catalogue of American Amphibians and Reptiles pp 174-175.

E. Habitat Conservation Planning/Regional Planning Issues

Airola, D. A. and R. H. Barrett. 1985. Foraging and habitat relationships of insect-gleaning birds in a Sierra Nevada mixed-conifer forest. *The Condor* **87**:205-216.

Akcakaya, H. R., M. A. McCarthy and J. L. Pearce. 1995. Linking landscape data with population viability analysis: Management options for the helmeted honey-eater (*Lichenostomus melanops cassidix*). *Biological Conservation*. **73**:169-176.

Allen, E.B. *et al.* 1998. What are the Limits to Restoration of Coastal Sage Scrub in Southern California? *Interface Between Ecology and Land Development in California, Second Symposium*. J.E. Keeley, M.B Keeley, and C.J. Fotheringham, eds. International Associate of Wildland Fire, Fairfield, WA.

Allen, E., T. A. Scott, A. Sanders, S. Boyd, R. Fisher, S. Kee and T. Tennant. December 12, 1997. Report on the conservation value of the Vail Lake Region (prepared for the Riverside County Board of Supervisors).

Andersen, M. C. and D. Mahato. 1995. Demographic models and reserve designs for the California spotted owl. *Ecological Applications* **5**:639-647.

Andleman, S., Ball, I., Davis, F. and Stoms, D. December 1999. Sites V 1.0: An Analytical Toolbox For Designing Ecoregional Conservation Portfolios. A Manual Prepared for The Nature Conservancy. Institute for Computational Earth System Science and Department of Geography, University of California Santa Barbara. 55 pp.

